

LibreOffice Design


what we're working on

refreshed Tango icons started by Alex Wilms based on Gnome icons





Symbolic icons by Issa Alkurtass based on Gnome Symbolic icons



Options Redesign

Applications	Thu Sep 26 12:02 PM	🕂 🤶 🕴 💭 📲 🖉
×	Midori	л ^к
🗲 🔶 😒 🚖		\
+ × Design/Whiteboards/O		

User Data

User data	Generic
Company, Initials, Street, ZIP, City, State, Title, Position, Home Tel., Work Tel., Fax, E-mail	-

General

Help

Tips	Unnecessary	
Displays the icon names and more bubble help information, for example, chapter names when you scroll through a document with chapters.	Tips should always be on.	
Extended Tips	Unnecessary	
Displays a help text when you rest the cursor on an icon, a menu command, or a control on a dialog.	Functionality should be integrated into normal tips in the future.	
Help Agent	Unnecessary	
Specifies that the Help Agent will be displayed automatically in selected situations. Click	The agent should be removed	

Specifies that the Help Agent will be displayed automatically in selected situations. ClickThe agent should be removedthe Help Agent window to see a Help page with information about the current context.altogether

Reset Help Agent	Unnecessary

 \Box \odot

 LibreOfficeDev 	Preferences		
User Data			
General	Preference Name Property	Пуре	:Value
Memory	/org.openoffice.FirstStartWizard/TabPac Visible	boolean	true 🔒
View	/org.openoffice.FirstStartWizard/TabPac Visible	boolean	true 🗆
Print	/org.openoffice.FirstStartWizard/TabPac Visible	boolean	true
Paths	/org.openoffice.FirstStartWizard/TabPac Visible	boolean	true
Colors	/org.openoffice.Inet/Settings ooInetFTPProxyName	string	
Fonts	/org.openoffice.Inet/Settings ooInetFTPProxyPort	void	
Security	/org.openoffice.Inet/Settings ooInetHTTPProxyName	string	
Personalization	/org.openoffice.Inet/Settings ooInetHTTPProxyPort	void	
Appearance	/org.openoffice.Inet/Settings ooInetHTTPSProxyName	string	
Accessibility	/org.openoffice.Inet/Settings ooInetHTTPSProxyPort	void	
Advanced	/org.openoffice.Inet/Settings ooInetNoProxy	string	
Basic IDE Options	/org.openoffice.Inet/Settings ooInetProxyType	long	1
Expert Config	/org.openoffice.Interaction/InteractionHε Propagation	string	named-ar
> Load/Save	/org.openoffice.Interaction/InteractionHε ServiceName	string	com.sun.
 Language Settings 	/org.openoffice.Interaction/InteractionHε Propagation	string	named-ar
> LibreOfficeDev Base	/org.openoffice.Interaction/InteractionHε Propagation	string	named-ar
 Charts 	/org.openoffice.Interaction/InteractionHε Propagation	string	named-ar
Internet	/org.openoffice.Interaction/InteractionHε ServiceName	string	com.sun. 🗘
			$\langle \rangle$
		Default	<u>E</u> dit
	<u>O</u> K <u>C</u> ancel <u>H</u>	elp	<u>R</u> evert

Expert Config by Efe Gürkan YALAMAN

 \odot \times

how to help

adopt an EasyHack

wiki.documentfoundation.org/ Design/Blueprints


Styles

Style menus Showing styles based on context **Presenting Style** shortcuts

Normal text ≎ Arial		≑ 11 • B ℤ <u>U</u> <u>A</u>	-
Title			
Subtitle		1	
Heading 1		Apply Heading 1 Update Heading 1 to matc	ST1
Heading 2		opulate nearing 1 to match	n selection
Heading 3			
Options	Þ		

Colors

Document colors * First step towards custom colors



wiki.documentfoundation.org/ Design/Blueprints

WIKI Design **DIASPORA*** LibreOffice Design **GOOGLE+** LibreOffice Design E-MAIL libreoffice-ux-advise @lists.freedesktop.org **FREENODE** #libreoffice-design Saturday, 16:00 UTC